

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|--|-----------------|-------------|---------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| Aa: | | --- | --- | --- | --- | |
| Adrian | 5w | | | | | |
| AfA: | | 5.00 | 4.50 | --- | --- | |
| Agawam | 1 | | | | | |
| AfB: | | 5.00 | 4.50 | --- | --- | |
| Agawam | 2e | | | | | |
| Ba: | | --- | --- | --- | --- | |
| Beaches | 8w | | | | | |
| Udipsamments, Udipsamments-undulating | 8s | | | | | |
| Bc: | | 4.00 | 3.50 | 3.00 | --- | |
| Birchwood | 2w | | | | | |
| BhA: | | 5.00 | 4.50 | 4.50 | --- | |
| Bridgehampton | 1 | | | | | |
| BhB: | | 5.00 | 4.50 | 4.50 | --- | |
| Bridgehampton | 2e | | | | | |
| BmA: | | 5.00 | 4.50 | 4.50 | --- | |
| Bridgehampton | 1 | | | | | |
| BmB: | | 5.00 | 4.50 | 4.50 | --- | |
| Bridgehampton | 2e | | | | | |
| BnB: | | --- | --- | --- | --- | |
| Bridgehampton | 6s | | | | | |
| Charlton | 6s | | | | | |
| BnC: | | --- | --- | --- | --- | |
| Bridgehampton | 6s | | | | | |
| Charlton | 6s | | | | | |
| BoC: | | --- | --- | --- | --- | |
| Bridgehampton | 7s | | | | | |
| Charlton | 7s | | | | | |
| BrA: | | 4.50 | 4.00 | 4.00 | --- | |
| Broadbrook | 1 | | | | | |
| BrB: | | 4.50 | 4.00 | 4.00 | --- | |
| Broadbrook | 2e | | | | | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|--------------------------|-----------------|-------------|------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| BsB: | | --- | --- | --- | --- | |
| Broadbrook | 6s | | | | | |
| CaC: | | --- | --- | --- | --- | |
| Canton | 7s | | | | | |
| Charlton | 7s | | | | | |
| Rock outcrop | 8s | | | | | |
| CaD: | | --- | --- | --- | --- | |
| Canton | 7s | | | | | |
| Charlton | 7s | | | | | |
| Rock outcrop | 8s | | | | | |
| CB: | | 4.50 | 4.50 | 4.00 | --- | |
| Canton | 2e | | | | | |
| Urban land | 8s | | | | | |
| CC: | | --- | --- | --- | --- | |
| Canton | 6s | | | | | |
| Urban land | 8s | | | | | |
| CdA: | | 4.50 | 4.50 | 4.00 | --- | |
| Canton | 1 | | | | | |
| Charlton | 1 | | | | | |
| CdB: | | 4.50 | 4.50 | 4.00 | --- | |
| Canton | 2e | | | | | |
| Charlton | 2e | | | | | |
| CdC: | | 4.50 | 4.00 | 3.50 | --- | |
| Canton | 3e | | | | | |
| Charlton | 3e | | | | | |
| CeC: | | --- | --- | --- | --- | |
| Canton | 6s | | | | | |
| Charlton | 6s | | | | | |
| ChB: | | --- | --- | --- | --- | |
| Canton | 6s | | | | | |
| Charlton | 6s | | | | | |
| ChC: | | --- | --- | --- | --- | |
| Canton | 6s | | | | | |
| Charlton | 6s | | | | | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|--------------------------|-----------------|-------------|------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| ChD: | | --- | --- | --- | --- | |
| Canton | 6s | | | | | |
| Charlton | 6s | | | | | |
| CkC: | | --- | --- | --- | --- | |
| Canton | 7s | | | | | |
| Charlton | 7s | | | | | |
| Co: | | --- | --- | --- | --- | |
| Carlisle | 5w | | | | | |
| Dc: | | 3.50 | 3.00 | --- | --- | |
| Deerfield | 3w | | | | | |
| Du: | | --- | --- | --- | --- | |
| Dumps | --- | | | | | |
| EfA: | | 5.00 | 4.50 | 4.50 | --- | |
| Enfield | 1 | | | | | |
| EfB: | | 5.00 | 4.50 | 4.50 | --- | |
| Enfield | 2e | | | | | |
| GBC: | | 4.00 | 3.00 | --- | --- | |
| Gloucester | 3e | | | | | |
| Bridgehampton | 3e | | | | | |
| GBD: | | 3.50 | 2.50 | --- | --- | |
| Gloucester | 4e | | | | | |
| Bridgehampton | 4e | | | | | |
| GhC: | | --- | --- | --- | --- | |
| Gloucester | 6s | | | | | |
| Hinckley | 4s | | | | | |
| GhD: | | --- | --- | --- | --- | |
| Gloucester | 6s | | | | | |
| Hinckley | 6s | | | | | |
| HkA: | | 2.50 | 2.00 | --- | --- | |
| Hinckley | 3s | | | | | |
| HkC: | | --- | --- | --- | --- | |
| Hinckley | 4s | | | | | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|-----------------------------|-----------------|-------------|---------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| HkD: | | --- | --- | --- | --- | |
| Hinckley | 6s | | | | | |
| HnC: | | --- | --- | --- | --- | |
| Hinckley | 4s | | | | | |
| Enfield | 3e | | | | | |
| Ip: | | --- | --- | --- | --- | |
| Ipswich | 8w | | | | | |
| LgC: | | 3.00 | 2.50 | 2.00 | --- | |
| Lippitt | 4e | | | | | |
| Ma: | | --- | --- | --- | --- | |
| Mansfield | 5w | | | | | |
| Mc: | | --- | --- | --- | --- | |
| Mansfield | 7s | | | | | |
| Mk: | | --- | --- | --- | --- | |
| Matunuck | 8w | | | | | |
| MmA: | | 4.00 | 3.00 | --- | --- | |
| Merrimac | 2s | | | | | |
| MmB: | | 4.00 | 3.00 | --- | --- | |
| Merrimac | 2s | | | | | |
| MU: | | 4.00 | 3.00 | --- | --- | |
| Merrimac | 2s | | | | | |
| Urban land | 8s | | | | | |
| NaA: | | 4.50 | 4.00 | 4.00 | --- | |
| Narragansett | 1 | | | | | |
| NaB: | | 4.50 | 4.00 | 4.00 | --- | |
| Narragansett | 2e | | | | | |
| NbB: | | --- | --- | --- | --- | |
| Narragansett | 6s | | | | | |
| NbC: | | --- | --- | --- | --- | |
| Narragansett | 6s | | | | | |
| NcC: | | --- | --- | --- | --- | |
| Narragansett | 7s | | | | | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|------------------------------|-----------------|-------------|---------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| NeA: Newport | 1 | 4.50 | 4.00 | 4.00 | --- | |
| NeB: Newport | 2e | 4.50 | 4.00 | 4.00 | --- | |
| NeC: Newport | 3e | 4.50 | 4.00 | 4.00 | --- | |
| NfB: Newport | 6s | --- | --- | --- | --- | |
| NoC: Newport | 7s | --- | --- | --- | --- | |
| NP: Newport Urban land | 2e 8s | 4.50 | 4.00 | 4.00 | --- | |
| Nt: Ninigret | 2w | 4.00 | 4.00 | 4.00 | --- | |
| PaA: Paxton | 1 | 4.50 | 4.00 | 4.00 | --- | |
| PaB: Paxton | 2e | 4.50 | 4.00 | 4.00 | --- | |
| PbB: Paxton | 6s | --- | --- | --- | --- | |
| PbC: Paxton | 6s | --- | --- | --- | --- | |
| PcC: Paxton | 7s | --- | --- | --- | --- | |
| PD: Paxton Urban land | 1 8s | 4.50 | 4.00 | 4.00 | --- | |
| Pg: Pits Urban land | --- --- | --- | --- | --- | --- | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|--|-----------------|-------------|---------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| Pk: Pits | --- | --- | --- | --- | --- | |
| PmA: Pittstown | 2w | 4.00 | 3.50 | --- | --- | |
| PmB: Pittstown | 2e | 4.00 | 3.50 | --- | --- | |
| PnB: Pittstown | 6s | --- | --- | --- | --- | |
| Pp: Pootatuck | 2w | 4.00 | 4.50 | 4.50 | --- | |
| PsA: Poquonock | 2s | --- | 3.50 | --- | --- | |
| PsB: Poquonock | 2s | --- | 3.50 | --- | --- | |
| QoA: Quonset | 3s | 2.50 | 2.00 | --- | --- | |
| QoC: Quonset | 4s | --- | --- | --- | --- | |
| RaA: Rainbow | 2w | 4.00 | 4.00 | 4.00 | --- | |
| RaB: Rainbow | 2e | 4.00 | 4.00 | 4.00 | --- | |
| RbB: Rainbow | 6s | --- | --- | --- | --- | |
| Rc: Raypol | 4w | --- | 2.50 | 2.50 | --- | |
| Re: Ridgebury | 3w | --- | 3.50 | 4.00 | --- | |
| Rf: Leicester Ridgebury Whitman | 7s 7s 7s | --- | --- | --- | --- | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|-----------------------------|-----------------|-------------|---------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| Rk: | | --- | --- | --- | --- | |
| Rock outcrop | 8s | | | | | |
| Beaches | 8s | | | | | |
| Rp: | | --- | --- | --- | --- | |
| Rock outcrop | 8s | | | | | |
| Canton | 6s | | | | | |
| Ru: | | --- | 3.00 | 3.00 | --- | |
| Rippowam | 4w | | | | | |
| Sb: | | --- | --- | --- | --- | |
| Scarboro | 5w | | | | | |
| ScA: | | 4.50 | 3.50 | --- | 8.5 | |
| Scio | 2w | | | | | |
| SdB: | | --- | --- | --- | --- | |
| Scio | 6s | | | | | |
| Se: | | 3.00 | 3.00 | 3.00 | --- | |
| Stissing | 3w | | | | | |
| Sf: | | --- | --- | --- | --- | |
| Stissing | 7s | | | | | |
| Ss: | | 3.50 | 4.00 | 4.00 | --- | |
| Sudbury | 2w | | | | | |
| StA: | | 4.00 | 4.00 | 4.00 | --- | |
| Sutton | 2w | | | | | |
| StB: | | 4.00 | 4.00 | 4.00 | --- | |
| Sutton | 2e | | | | | |
| SuB: | | --- | --- | --- | --- | |
| Sutton | 6s | | | | | |
| SvB: | | --- | --- | --- | --- | |
| Sutton | 7s | | | | | |
| Tb: | | 4.00 | 4.00 | 4.00 | --- | |
| Tisbury | 2w | | | | | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|-----------------------------|-----------------|-------------|---------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| UAB: | | --- | --- | --- | --- | |
| Udipsamments | 7s | | | | | |
| Beaches | --- | | | | | |
| UBE: | | --- | --- | --- | --- | |
| Udorthents | --- | | | | | |
| Beaches | --- | | | | | |
| UD: | | --- | --- | --- | --- | |
| Udorthents | --- | | | | | |
| Urban land | 8s | | | | | |
| Ur: | | --- | --- | --- | --- | |
| Urban land | --- | | | | | |
| W: | | --- | --- | --- | --- | |
| Water | --- | | | | | |
| Wa: | | --- | 2.50 | 2.50 | --- | |
| Walpole | 4w | | | | | |
| WbA: | | 4.00 | 4.00 | 4.00 | --- | |
| Wapping | 2w | | | | | |
| WbB: | | 4.00 | 4.00 | 4.00 | --- | |
| Wapping | 2e | | | | | |
| WcB: | | --- | --- | --- | --- | |
| Wapping | 6s | | | | | |
| WdB: | | --- | --- | --- | --- | |
| Wapping | 7s | | | | | |
| WgA: | | 3.00 | 2.50 | 2.00 | --- | |
| Windsor | 3s | | | | | |
| WgB: | | 3.00 | 2.50 | 2.00 | --- | |
| Windsor | 3s | | | | | |
| WhA: | | 4.00 | 4.00 | 4.00 | --- | |
| Woodbridge | 2w | | | | | |
| WhB: | | 4.00 | 4.00 | 4.00 | --- | |
| Woodbridge | 2e | | | | | |

Nonirrigated Yields by Map Unit

State of Rhode Island: Bristol, Kent, Newport, Providence, and Washington Counties

| Map symbol and soil name | Land capability | Alfalfa hay | Grass-legume hay | Grass hay | Pasture | |
|--------------------------|-----------------|-------------|------------------|-------------|------------|--|
| | | <i>Tons</i> | <i>Tons</i> | <i>Tons</i> | <i>AUM</i> | |
| WoB: Woodbridge | 6s | --- | --- | --- | --- | |
| WrB: Woodbridge | 7s | --- | --- | --- | --- | |