


Map symbol	Map unit name
1	Water
5A	Saco mucky silt loam, 0 to 3 percent slopes
6A	Scarboro mucky peat, 0 to 1 percent slopes
7A	Rainberry coarse sand, 0 to 3 percent slopes, sanded surface
8A	Limerick silt loam, 0 to 3 percent slopes
9A	Birdsall silt loam, 0 to 3 percent slopes
11A	Rainberry coarse sand, 0 to 3 percent slopes
23A	Tihonet coarse sand, 0 to 3 percent slopes
30A	Raynham silt loam, 0 to 3 percent slopes
37A	Massasoit - Mashpee complex, 0 to 3 percent slopes
47A	Brockton sandy loam, 0 to 3 percent slopes
48A	Brockton sandy loam, 0 to 3 percent slopes, extremely stony
49A	Norwell mucky fine sandy loam, 0 to 3 percent slopes, extremely stony
49B	Norwell mucky fine sandy loam, 3 to 8 percent slopes, extremely stony
51A	Swansea peat, 0 to 1 percent slopes
52A	Freetown peat, 0 to 1 percent slopes
53A	Freetown peat, 0 to 1 percent slopes, ponded
55A	Freetown coarse sand, 0 to 3 percent slopes, sanded surface
60A	Swansea coarse sand, 0 to 3 percent slopes, sanded surface
66A	Ipswich - Pawcatuck - Matunuck complex, 0 to 1 percent slopes
69A	Mattapoisett loamy sand, 0 to 3 percent slopes, extremely stony
69B	Mattapoisett loamy sand, 3 to 8 percent slopes, extremely stony
70A	Ridgebury fine sandy loam, 0 to 3 percent slopes
70B	Ridgebury fine sandy loam, 3 to 8 percent slopes
71A	Ridgebury fine sandy loam, 0 to 3 percent slopes, extremely stony
71B	Ridgebury fine sandy loam, 3 to 8 percent slopes, extremely stony
72A	Whitman loam, 0 to 3 percent slopes
73A	Whitman loam, 0 to 3 percent slopes, extremely stony
98A	Winooski silt loam, 0 to 3 percent slopes
110B	Canton - Chatfield - Rock outcrop complex, 3 to 8 percent slopes
110C	Canton - Chatfield - Rock outcrop complex, 8 to 15 percent slopes
110E	Canton - Chatfield - Rock outcrop complex, 15 to 35 percent slopes
111C	Chatfield - Rock outcrop - Canton complex, 8 to 15 percent slopes
111E	Chatfield - Rock outcrop - Canton complex, 15 to 35 percent slopes
200A	Squamscott fine sandy loam, 0 to 3 percent slopes
221A	Eldridge fine sandy loam, 0 to 3 percent slopes
221B	Eldridge fine sandy loam, 3 to 8 percent slopes
223A	Scio very fine sandy loam, 0 to 3 percent slopes
223B	Scio very fine sandy loam, 3 to 8 percent slopes
226A	Hinesburg fine sandy loam, 0 to 3 percent slopes
226B	Hinesburg fine sandy loam, 3 to 8 percent slopes
226C	Hinesburg fine sandy loam, 8 to 15 percent slopes
227A	Wapanucket loamy sand, 0 to 3 percent slopes
227B	Wapanucket loamy sand, 3 to 8 percent slopes
227C	Wapanucket loamy sand, 8 to 15 percent slopes
251A	Haven very fine sandy loam, 0 to 3 percent slopes
251B	Haven very fine sandy loam, 3 to 8 percent slopes
252A	Carver coarse sand, 0 to 3 percent slopes
252B	Carver coarse sand, 3 to 8 percent slopes



Map symbol	Map unit name
252C	Carver coarse sand, 8 to 15 percent slopes
252E	Carver coarse sand, 15 to 35 percent slopes
253A	Hinckley loamy coarse sand, 0 to 3 percent slopes
253B	Hinckley loamy coarse sand, 3 to 8 percent slopes
253C	Hinckley loamy coarse sand, 8 to 15 percent slopes
253E	Hinckley loamy coarse sand, 15 to 35 percent slopes
254A	Merrimac sandy loam, 0 to 3 percent slopes
254B	Merrimac sandy loam, 3 to 8 percent slopes
254C	Merrimac sandy loam, 8 to 15 percent slopes
255A	Windsor loamy sand, 0 to 3 percent slopes
255B	Windsor loamy sand, 3 to 8 percent slopes
255C	Windsor loamy sand, 8 to 15 percent slopes
255E	Windsor loamy sand, 15 to 35 percent slopes
256A	Deerfield fine sand, 0 to 3 percent slopes
256B	Deerfield fine sand, 3 to 8 percent slopes
259A	Carver loamy coarse sand, 0 to 3 percent slopes
259B	Carver loamy coarse sand, 3 to 8 percent slopes
259C	Carver loamy coarse sand, 8 to 15 percent slopes
260A	Sudbury fine sandy loam, 0 to 3 percent slopes
260B	Sudbury fine sandy loam, 3 to 8 percent slopes
262A	Quonset sandy loam, 0 to 3 percent slopes
262B	Quonset sandy loam, 3 to 8 percent slopes
262C	Quonset sandy loam, 8 to 15 percent slopes
262E	Quonset sandy loam, 15 to 35 percent slopes
266A	Warwick fine sandy loam, 0 to 3 percent slopes
266B	Warwick fine sandy loam, 3 to 8 percent slopes
276A	Ninigret fine sandy loam, 0 to 3 percent slopes
276B	Ninigret fine sandy loam, 3 to 8 percent slopes
278A	Carver - Merrimac complex, 0 to 3 percent slopes
278B	Carver - Merrimac complex, 3 to 8 percent slopes
278C	Carver - Merrimac complex, 8 to 15 percent slopes
289B	Hinckley gravelly sandy loam, 3 to 8 percent slopes, bouldery
289C	Hinckley gravelly sandy loam, 8 to 15 percent slopes, bouldery
289E	Hinckley gravelly sandy loam, 15 to 35 percent slopes, bouldery
300B	Montauk fine sandy loam, 3 to 8 percent slopes
300C	Montauk fine sandy loam, 8 to 15 percent slopes
300E	Montauk fine sandy loam, 15 to 35 percent slopes
301B	Montauk fine sandy loam, 3 to 8 percent slopes, very stony
301C	Montauk fine sandy loam, 8 to 15 percent slopes, very stony
301E	Montauk fine sandy loam, 15 to 35 percent slopes, very stony
305B	Paxton loam, 3 to 8 percent slopes
305C	Paxton loam, 8 to 15 percent slopes
305E	Paxton loam, 15 to 35 percent slopes
306B	Paxton loam, 3 to 8 percent slopes, very stony
306C	Paxton loam, 8 to 15 percent slopes, very stony
306E	Paxton loam, 15 to 35 percent slopes, very stony
309B	Moshup loam, 3 to 8 percent slopes, very stony
309C	Moshup loam, 8 to 15 percent slopes, very stony
310A	Woodbridge fine sandy loam, 0 to 3 percent slopes
	······



Map symbol	Map unit name
310B	Woodbridge fine sandy loam, 3 to 8 percent slopes
310C	Woodbridge fine sandy loam, 8 to 15 percent slopes
311A	Woodbridge fine sandy loam, 0 to 3 percent slopes, very stony
311B	Woodbridge fine sandy loam, 3 to 8 percent slopes, very stony
311C	Woodbridge fine sandy loam, 8 to 15 percent slopes, very stony
315A	Scituate gravelly sandy loam, 0 to 3 percent slopes
315B	Scituate gravelly sandy loam, 3 to 8 percent slopes
315C	Scituate gravelly sandy loam, 8 to 15 percent slopes
316A	Scituate gravelly sandy loam, 0 to 3 percent slopes, very stony
316B	Scituate gravelly sandy loam, 3 to 8 percent slopes, very stony
316C	Scituate gravelly sandy loam, 8 to 15 percent slopes, very stony
320A	Birchwood sand, 0 to 3 percent slopes
320B	Birchwood sand, 3 to 8 percent slopes
320C	Birchwood sand, 8 to 15 percent slopes
321A	Birchwood sand, 0 to 3 percent slopes, very stony
321B	Birchwood sand, 3 to 8 percent slopes, very stony
321C	Birchwood sand, 8 to 15 percent slopes, very stony
322A	Poquonock sand, 0 to 3 percent slopes
322B	Poquonock sand, 3 to 8 percent slopes
322C	Poquonock sand, 8 to 15 percent slopes
323B	Poquonock sand, 3 to 8 percent slopes, very stony
323C	Poquonock sand, 8 to 15 percent slopes, very stony
325B	Newport loam, 3 to 8 percent slopes
325C	Newport loam, 8 to 15 percent slopes
325E	Newport loam, 15 to 35 percent slopes
326B	Newport loam, 3 to 8 percent slopes, very stony
326C	Newport loam, 8 to 15 percent slopes, very stony
326E	Newport loam, 15 to 35 percent slopes, very stony
340A	Broadbrook very fine sandy loam, 0 to 3 percent slopes
340B	Broadbrook very fine sandy loam, 3 to 8 percent slopes
340C	Broadbrook very fine sandy loam, 8 to 15 percent slopes
341B	Broadbrook very fine sandy loam, 3 to 8 percent slopes, very stony
341C	Broadbrook very fine sandy loam, 8 to 15 percent slopes, very stony
345A	Pittstown loam, 0 to 3 percent slopes
345B	Pittstown loam, 3 to 8 percent slopes
346A	Pittstown loam, 0 to 3 percent slopes, very stony
346B	Pittstown loam, 3 to 8 percent slopes, very stony
420A	Canton very fine sandy loam, 0 to 3 percent slopes
420B	Canton very fine sandy loam, 3 to 8 percent slopes
420C	Canton very fine sandy loam, 8 to 15 percent slopes
421B	Canton very fine sandy loam, 3 to 8 percent slopes, very stony
421C	Canton very fine sandy loam, 8 to 15 percent slopes, very stony
421E	Canton very fine sandy loam, 15 to 35 percent slopes, very stony
424B	Canton very fine sandy loam, 3 to 8 percent slopes, extremely bouldery
424C	Canton very fine sandy loam, 8 to 15 percent slopes, extremely bouldery
424E	Canton very fine sandy loam, 15 to 35 percent slopes, extremely bouldery
426A	Newfields fine sandy loam, 0 to 3 percent slopes
426B	Newfields fine sandy loam, 3 to 8 percent slopes
427A	Newfields fine sandy loam, 0 to 3 percent slopes, extremely stony



Map symbol	Map unit name
427B	Newfields fine sandy loam, 3 to 8 percent slopes, extremely stony
430A	Barnstable loamy sand, 0 to 3 percent slopes
430B	Barnstable loamy sand, 3 to 8 percent slopes
430C	Barnstable loamy sand, 8 to 15 percent slopes
431B	Barnstable loamy sand, 3 to 8 percent slopes, very stony
431C	Barnstable loamy sand, 8 to 15 percent slopes, very stony
433B	Barnstable loamy sand, 3 to 8 percent slopes, extremely bouldery
433C	Barnstable loamy sand, 8 to 15 percent slopes, extremely bouldery
435A	Plymouth loamy coarse sand, 0 to 3 percent slopes
435B	Plymouth loamy coarse sand, 3 to 8 percent slopes
435C	Plymouth loamy coarse sand, 8 to 15 percent slopes
435E	Plymouth loamy coarse sand, 15 to 35 percent slopes
437B	Plymouth loamy coarse sand, 3 to 8 percent slopes, bouldery
437C	Plymouth loamy coarse sand, 8 to 15 percent slopes, bouldery
437E	Plymouth loamy coarse sand, 15 to 35 percent slopes, bouldery
438B	Plymouth loamy coarse sand, 3 to 8 percent slopes, extremely bouldery
438C	Plymouth loamy coarse sand, 8 to 15 percent slopes, extremely bouldery
438E	Plymouth loamy coarse sand, 15 to 35 percent slopes, extremely bouldery
439B	Gloucester - Canton complex, 3 to 8 percent slopes
439C	Gloucester - Canton complex, 8 to 15 percent slopes
439E	Gloucester - Canton complex, 15 to 35 percent slopes
453B	Gloucester - Canton complex, 15 to 55 percent slopes  Gloucester - Canton complex, 3 to 8 percent slopes, extremely bouldery
453C	Gloucester - Canton complex, 8 to 15 percent slopes, extremely bouldery
453E	Gloucester - Canton complex, 15 to 35 percent slopes, extremely bouldery
478B	Plymouth - Poquonock complex, 3 to 8 percent slopes, bouldery
478C	Plymouth - Poquonock complex, 8 to 15 percent slopes, bouldery
478E	Plymouth - Poquonock complex, 15 to 35 percent slopes, bouldery
480B	Plymouth - Carver complex, 3 to 8 percent slopes
480C	Plymouth - Carver complex, 8 to 15 percent slopes
480E	Plymouth - Carver complex, 15 to 35 percent slopes
481B	Plymouth - Carver complex, 3 to 8 percent slopes, bouldery
481C	Plymouth - Carver complex, 8 to 15 percent slopes, bouldery
481E	Plymouth - Carver complex, 15 to 35 percent slopes, bouldery
483C	
483E	Barnstable - Plymouth complex, 8 to 15 percent slopes, very bouldery
486B	Barnstable - Plymouth complex, 15 to 35 percent slopes, very bouldery
	Barnstable - Plymouth complex, 3 to 8 percent slopes
486C	Barnstable - Plymouth complex, 8 to 15 percent slopes
486E	Barnstable - Plymouth complex, 15 to 35 percent slopes
600	Pits, gravel
601	Pits, quarry
602B	Urban land, 0 to 8 percent slopes
603A	Urban land, wet substratum. 0 to 3 percent slopes
605	Pits, till Water treatment facility
606	Water, treatment facility
607	Water, saline
608	Water, ocean
609	Beaches, extremely bouldery
610	Beaches, sandy
612B	Hooksan fine sand, 3 to 8 percent slopes



Map symbol	Map unit name
612C	Hooksan fine sand, 8 to 15 percent slopes
612E	Hooksan fine sand, 15 to 35 percent slopes
613C	Dune land - Hooksan complex, 8 to 15 percent slopes
614A	Oxyaquic Udipsamments, 0 to 3 percent slopes
619A	Deerfield - Urban land complex, 0 to 3 percent slopes
621B	Scio - Urban land complex, 0 to 8 percent slopes
622C	Paxton - Urban land complex, 8 to 15 percent slopes
623B	Woodbridge - Scituate - Urban land complex, 0 to 8 percent slopes
626B	Merrimac - Urban land complex. 0 to 8 percent slopes
627C	Newport - Urban land complex, 8 to 15 percent slopes
628B	Canton - Urban land complex, 0 to 8 percent slopes
634B	Birchwood - Urban land complex, 0 to 8 percent slopes
635C	Canton - Urban land - Rock outcrop complex, 3 to 15 percent slopes
636B	Montauk - Urban land complex, 0 to 8 percent slopes
637B	Carver - Urban land complex, 0 to 8 percent slopes
639B	Urban land - Hooksan complex, 0 to 8 percent slopes
640B	Urban land, till substratum, 0 to 8 percent slopes
641B	Urban land, outwash substratum, 0 to 8 percent slopes
642B	Urban land, glaciolacustrine substratum, 0 to 8 percent slopes
652E	Udorthents, refuse substratum, 8 to 35 percent slopes
654B	Udorthents, loamy, 0 to 8 percent slopes
655A	Udorthents, wet substratum, 0 to 3 percent slopes
656B	Udorthents - Urban land complex, 0 to 8 percent slopes
657A	Aquepts, 0 to 3 percent slopes
658A	Endoaquents, 0 to 3 percent slopes, sanded surface
659B	Udorthents, 0 to 8 percent slopes, gravelly
660C	Udorthents, 8 to 15 percent slopes, gravelly
665B	Udipsamments, 0 to 8 percent slopes
666A	Ipswich - Pawcatuck - Matunuck complex, 0 to 1 percent slopes, freshened
700A	Udipsamments, wet substratum, 0 to 3 percent slopes
701A	Rainberry coarse sand, 0 to 3 percent slope, sanded surface, inactive
702C	Udipsamments, 8 to 15 percent slopes
703	Beaches, gravel
704A	Freetown and Swansea coarse sands, 0 to 3 percent slopes, sanded surface, inactive
708A	Beaches, tidal flats

