

| For explanations of Attribute fields (DEV, ONSEW, etc) visit: http://nesoil.com/gis/sesoilcd.htm#attribute | | | | | | | | | |
|---|---|---|--------------|----------------------|--------------------|------------------------|----------|------------|---|
| MUSYM | UNITNAME | DEV | ONSEW | HYDRIC | AGRIC | PARENT_M | HYDROGRP | DRAINCLASS | URL |
| 1 | Water | Water, fresh | Water, fresh | Water, fresh | Water, fresh | Water, fresh | Wat | NA | http://nesoil.com/muds/water.htm |
| 6 | Scarboro muck | Hydric soils | F | Hydric soil, mineral | Not rated | Fluvial, proglacial | D | VPD | http://nesoil.com/muds/scarboro.htm |
| 8 | Limerick silt loam | Floodplain soils | E | Hydric soil, mineral | Not rated | Recent alluvium | C | PD | http://nesoil.com/muds/limerick.htm |
| 9 | Birdsall mucky silt loam, 0 to 3 %slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Lake floor | D | VPD | http://nesoil.com/muds/birdsall.htm |
| 20 | Scarboro fine sandy loam, silty subsoil | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Deltaic | D | VPD | http://nesoil.com/muds/scarboro.htm |
| 21 | Enosburg loamy sand, 0 to 3 Percent Slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Deltaic | D | PD | http://nesoil.com/muds/enosburg.htm |
| 30 | Raynham silt loam | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Lake floor | C | VPD | http://nesoil.com/muds/cransoil.htm |
| 37 | Massasoit-Mashpee complex, nearly level | Hydric soils | F | Hydric soil, mineral | Not rated | Fluvial, proglacial | C | PD | http://nesoil.com/muds/saugatuck.htm |
| 48 | Brockton sandy loam, extremely stony, 0 to 3 % slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | D | VPD | http://nesoil.com/muds/brockton.htm |
| 51 | Swansea muck | Hydric soils | F | Hydric soil, organic | Not rated | Organic deposits | D | VPD | http://nesoil.com/muds/norwell.htm |
| 53 | Freetown mucky peat, ponded | Hydric soils | F | Hydric soil, organic | Not rated | Organic deposits | D | VPD | http://nesoil.com/muds/freetown.htm |
| 602 | Urban land | Human Altered, cuts and fills | I | Upland soil | Not rated | Human Altered Material | UNC | NA | http://nesoil.com/muds/miscsoil.htm |
| 652 | Udorthents, refuse substratum | Landfills/Dumps | G | Upland soil | Not rated | Human Altered Material | UNC | NA | http://nesoil.com/muds/miscsoil.htm |
| 654 | Udorthents, loamy | Human Altered, cuts and fills | G | Upland soil | Not rated | Human Altered Material | UNC | MWD | http://nesoil.com/muds/miscsoil.htm |
| 655 | Udorthents, wet substratum | Human Altered, cuts and fills | B | Upland soil | Not rated | Human Altered Material | UNC | MWD | http://nesoil.com/muds/miscsoil.htm |
| 656 | Udorthents, urban land complex | Human Altered, cuts and fills | I | Upland soil | Not rated | Human Altered Material | UNC | NA | http://nesoil.com/muds/ulcomplex.htm |
| 657 | Aquents | Hydric soils | F | Hydric soil, mineral | Not rated | Human Altered Material | D | PD | http://nesoil.com/muds/miscsoil.htm |
| 665 | Udipsamments, smooth | Human Altered, cuts and fills | G | Upland soil | Not rated | Human Altered Material | A | ED | http://nesoil.com/muds/miscsoil.htm |
| 700 | Udipsamments, wet substratum | Human Altered, cuts and fills | B | Upland soil | Not rated | Human Altered Material | UNC | MWD | http://nesoil.com/muds/miscsoil.htm |
| 21A | Enosburg loamy sand, 0 to 3 Percent Slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Deltaic | D | PD | http://nesoil.com/muds/enosburg.htm |
| 221A | Eldridge sandy loam, 0 to 3 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lacustrine-Deltaic | B | MWD | http://nesoil.com/muds/eldridge.htm |
| 221B | Eldridge sandy loam, 3 to 8 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lacustrine-Deltaic | B | MWD | http://nesoil.com/muds/eldridge.htm |
| 223A | Scio very fine sandy loam, 0 to 3 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lacustrine-Lake floor | B | MWD | http://nesoil.com/muds/scio.htm |
| 223B | Scio very fine sandy loam, 3 to 8 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lacustrine-Lake floor | B | MWD | http://nesoil.com/muds/scio.htm |
| 255A | Windsor loamy sand, 0 to 3 % slopes | ESHWT > 4.0 feet, rapid permeability | A | Upland soil | Important Farmland | Fluvial, proglacial | A | ED | http://nesoil.com/muds/windsor.htm |
| 255B | Windsor loamy sand, 3 to 8 % slopes | ESHWT > 4.0 feet, rapid permeability | A | Upland soil | Important Farmland | Fluvial, proglacial | A | ED | http://nesoil.com/muds/windsor.htm |
| 255C | Windsor loamy sand, 8 to 15 % slopes | ESHWT > 4.0 feet, rapid permeability | A | Upland soil | Important Farmland | Fluvial, proglacial | A | ED | http://nesoil.com/muds/windsor.htm |
| 256A | Deerfield loamy sand, 0 to 3 % slopes | ESHWT 1.5 to 4.0 feet, rapid permeability | B | Upland soil | Important Farmland | Fluvial, proglacial | B | MWD | http://nesoil.com/muds/deerfield.htm |
| 256B | Deerfield loamy sand, 3 to 8 % slopes | ESHWT 1.5 to 4.0 feet, rapid permeability | B | Upland soil | Important Farmland | Fluvial, proglacial | B | MWD | http://nesoil.com/muds/deerfield.htm |
| 259B | Carver loamy coarse sand, 3 to 8 % slopes | ESHWT > 4.0 feet, rapid permeability | A | Upland soil | Not rated | Fluvial, proglacial | A | ED | http://nesoil.com/muds/carver.htm |
| 259C | Carver loamy coarse sand, 8 to 15 % slopes | ESHWT > 4.0 feet, rapid permeability | A | Upland soil | Not rated | Fluvial, proglacial | A | ED | http://nesoil.com/muds/carver.htm |
| 260B | Sudbury fine sandy loam, 3 to 8 % slopes | ESHWT 1.5 to 4.0 feet, rapid permeability | B | Upland soil | Prime Farmland | Fluvial, proglacial | B | MWD | http://nesoil.com/muds/sudbury.htm |
| 305B | Paxton fine sandy loam, 3 to 8 % slopes | ESHWT 2.5 to 4.0 feet, slow permeability | C | Upland soil | Prime Farmland | Lodgement Till | C | WD | http://nesoil.com/muds/paxton.htm |
| 305C | Paxton fine sandy loam, 8 to 15 % slopes | ESHWT 2.5 to 4.0 feet, slow permeability | C | Upland soil | Important Farmland | Lodgement Till | C | WD | http://nesoil.com/muds/paxton.htm |
| 30A | Raynham silt loam, 0 to 3 % slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Lake floor | C | VPD | http://nesoil.com/muds/cransoil.htm |
| 310A | Woodbridge fine sandy loam, 0 to 3 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lodgement Till | C | MWD | http://nesoil.com/muds/woodbridge.htm |
| 310B | Woodbridge fine sandy loam, 3 to 8 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lodgement Till | C | MWD | http://nesoil.com/muds/woodbridge.htm |
| 311B | Woodbridge fine sandy loam, 3 to 8 % slopes, very stony | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Important Farmland | Lodgement Till | C | MWD | http://nesoil.com/muds/woodbridge.htm |
| 320A | Birchwood loamy sand, 0 to 3 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lodgement Till | C | MWD | http://nesoil.com/muds/birchwood.htm |
| 320B | Birchwood loamy sand, 3 to 8 % slopes | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Prime Farmland | Lodgement Till | C | MWD | http://nesoil.com/muds/birchwood.htm |
| 321B | Birchwood loamy sand, 3 to 8 % slopes, very stony | ESHWT 1.5 to 4.0 feet, slow permeability | D | Upland soil | Important Farmland | Lodgement Till | C | MWD | http://nesoil.com/muds/birchwood.htm |
| 48A | Brockton sandy loam, extremely stony, 0 to 3 % slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | D | VPD | http://nesoil.com/muds/brockton.htm |
| 49A | Norwell sandy loam, 0 to 3 % slopes, extremely stony | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | C | PD | http://nesoil.com/muds/norwell.htm |
| 49B | Norwell sandy loam, 3 to 8 % slopes, extremely stony | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | C | PD | http://nesoil.com/muds/norwell.htm |
| 51A | Swansea muck, 0 to 3 % slopes | Hydric soils | F | Hydric soil, organic | Not rated | Organic deposits | D | VPD | http://nesoil.com/muds/norwell.htm |
| 651A | Udorthents, smoothed | Human Altered, cuts and fills | G | Upland soil | Not rated | Human Altered Material | UNC | ED | http://nesoil.com/muds/miscsoil.htm |
| 654B | Udorthents, loamy, 0 to 3 % slopes | Human Altered, cuts and fills | G | Upland soil | Not rated | Human Altered Material | UNC | MWD | http://nesoil.com/muds/miscsoil.htm |
| 655A | Udorthents, wet substratum, nearly level | Human Altered, cuts and fills | B | Upland soil | Not rated | Human Altered Material | UNC | MWD | http://nesoil.com/muds/miscsoil.htm |
| 70A | Ridgebury fine sandy loam, 0 to 3 % slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | C | PD | http://nesoil.com/muds/ridgebury.htm |
| 70B | Ridgebury fine sandy loam, 3 to 8 % slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | C | PD | http://nesoil.com/muds/ridgebury.htm |
| 71A | Ridgebury fine sandy loam, 0 to 3 % slopes, extremely stony | Hydric soils | F | Hydric soil, mineral | Not rated | Lodgement Till | C | PD | http://nesoil.com/muds/ridgebury.htm |
| 8A | Limerick silt loam | Floodplain soils | E | Hydric soil, mineral | Not rated | Recent alluvium | C | PD | http://nesoil.com/muds/limerick.htm |
| 98A | Winooski very fine sandy loam | Floodplain soils | E | Upland soil | Prime Farmland | Recent alluvium | B | MWD | http://nesoil.com/muds/winooski.htm |

| | | | | | | | | | |
|----|--|--------------|---|----------------------|-----------|-----------------------|---|-----|---|
| 9A | Birdsall mucky silt loam, 0 to 3 %slopes | Hydric soils | F | Hydric soil, mineral | Not rated | Lacustrine-Lake floor | D | VPD | http://nesoil.com/muds/birdsall.htm |
|----|--|--------------|---|----------------------|-----------|-----------------------|---|-----|---|